Available online at www.sciencedirect.com

ScienceDirect

Aquaculture 278 (2008) 199–200

Aquaculture

www.elsevier.com/locate/aqua-online

Contents of *Aquaculture*, Volume 278

VOL. 278 NOS. 1–4 **10 June 2008**

Diseases

Tissue distribution and elimination of norfloxacin in Japanese sea perch (*Lateolabras japonicus*) and black sea bream (*Sparus macrocephalus*) following multi-oral administration
Q. Wang, Q. Liu, J. Li and Q. Wang (Qingdao, PR China) 1

A conserved outer membrane protein as an effective vaccine candidate from *Vibrio alginolyticus*
R.-H. Qian (Hangzhou, China), Z.-H. Xiao (Changsha, China), C.-W. Zhang (Hangzhou, China), W.-Y. Chu (Changsha, China), L.-S. Wang, H.-H. Zhou (China), Y.-w. Wei and L. Yu (Hangzhou, China) 5

Stable yellowhead virus (YHV) RNA detection by qRT-PCR during six-day storage
H. Ma, R.M. Overstreet and J.A. Jovonovich (Ocean Springs, MS, USA) 10

Development of two cell lines from *Epinephelus coioides* brain tissue for characterization of betanodavirus and megalocytivirus infectivity and propagation
C.M. Wen, C.W. Lee, C.S. Wang (Kaohsiung, Taiwan, ROC), Y.H. Cheng (I-Lan, Taiwan, ROC) and H.Y. Huang (Kaohsiung, Taiwan, ROC) 14

Optimization of an inactivated vaccine against a scuticociliate parasite of turbot: Effect of antigen, formalin and adjuvant concentration on antibody response and protection against the pathogen
J. Lamas, M.L. Sanmartín, A.I. Paramá, R. Castro (Santiago de Compostela, Spain), S. Cabaleiro, M.V. Ruiz de Ocenda (A Coruña, Spain), J.L. Barja and J. Leiro (Santiago de Compostela, Spain) 22

Genetics

Taxonomic status and genetic diversity of cultured largemouth bass *Micropterus salmoides* in China
J. Bai (Guangzhou, PR China), D.J. Lutz-Carrillo (San Marcos, Texas, USA), Y. Quan (Guangzhou, PR China) and S. Liang (Guangzhou, Dalian, PR China) 27

Interspecific hybridization and introgression are associated with stock transfers in salmonids
A.G.F. Castillo, F. Ayllon (Oviedo, Spain), P. Moran (Vigo, Spain), J.I. Izquierdo, J.L. Martinez (Oviedo, Spain), E. Beall (Saint Pée sur Nivelle, France) and E. Garcia-Vazquez (Oviedo, Spain) 31

Family growth response to fishmeal and plant-based diets shows genotype × diet interaction in rainbow trout (*Oncorhynchus mykiss*)
L.R. Pierce (Kearneysville, WV, USA; Blacksburg, VA, USA), Y. Palti, J.T. Silverstein (Kearneysville, WV, USA), F.T. Barrows (Hagerman, ID, USA), E.M. Hallerman (Blacksburg, VA, USA) and J.E. Parsons (Sumner, WA, USA) 37

Cross breeding of different domesticated lines as a simple way for genetic improvement in small aquaculture industries: Heterosis and inbreeding effects on growth and survival rates of the Pacific blue shrimp *Penaeus* (*Litopenaeus*) *stylirostris*
E. Goyard, C. Goarant, D. Ansquer, P. Brun, S. de Decker, R. Dufour, C. Galinié, J.-M. Peignon, D. Pham, E. Vourey, Y. Harache and J. Patrois (Nouméa, New Caledonia) 43

Mechanisms for introgression in allotriploid fish
A.G.F. Castillo (Oviedo, Spain), P. Moran, N. Hurtado (Vigo, Spain), J.A. Vega, J. Perez, J.L. Martinez and E. Garcia-Vazquez (Oviedo, Spain) 51

Husbandry and Management

Growth and survival of adult long snout seahorse (*Hippocampus guttulatus*) using frozen diets
J. Palma (Faro, Portugal), J. Stockdale (Cork, Ireland), M. Correia and J.P. Andrade (Faro, Portugal) 55

Distribution of nutrients for seaweed cultivation around salmon cages at farm sites in north–west Scotland
J.C. Sanderson, C.J. Cromey (Scotland, United Kingdom), M.J. Dring (Belfast, Northern Ireland, United Kingdom) and M.S. Kelly (Scotland, United Kingdom) 60

Fatty acid composition, growth and morphological deformities in juvenile cyprinid, *Scardinius erythrophthalmus* fed formulated diet supplemented with natural food
E. Kamler, J. Wolnicki, R. Kamiński and J. Sikorska (Poland) 69

Evaluation of indicators used to detect mussel farm influence on the benthos: Two case studies in the Magdalen Islands, Eastern Canada
M.D. Callier, C.W. McKindsey (Mont-Joli, Rimouski, (QC), Canada) and G. Desrosiers (Rimouski, (QC), Canada) 77

Long term roe enhancement of *Evechinus chloroticus*
P.J. James and P.L. Heath (Wellington, New Zealand) 89

Histological changes and survival of *Litopenaeus vannamei* juveniles with different copper concentrations
M.G. Frías-Espericueta (Mazatlán Sinaloa, Mexico), R. Castro-Longoria (Hermosillo Sonora, Mexico), G.J. Barrón-Gallardo (Mazatlán Sinaloa, Hermosillo Sonora, Mexico), J.I. Osuna-López, S.M. Abad-Rosales, F. Páez-Osuna and D. Voltolina (Mazatlán Sinaloa, Mexico) 97

Characterization of the life history of *Bangia fuscopurpurea* (Bangiaceae, Rhodophyta) in connection with its cultivation in China
W.-j. Wang (Qingdao, Beijing, China), J.-y. Zhu, P. Xu, J.-r. Xu (Changshu, China), X.-z. Lin, C.-k. Huang (Putian, China), W.-l. Song (Fuzhou, China), G. Peng (Qingdao, China) and G.-c. Wang (Qingdao, Tianjin, China) 101

Nutrition

Effects of chitosan-coated diet on improving water quality and innate immunity in the olive flounder, *Paralichthys olivaceus*
S.-H. Cha, J.-S. Lee, C.-B. Song, K.-J. Lee and Y.-J. Jeon (Jeju, Republic of Korea) 110

Effect of soybean phospholipid supplementation in formulated microdiets and live food on foregut and liver histological changes of *Pelteobagrus fulvidraco* larvae
S. Lu, N. Zhao, A. Zhao and R. He (Wuhan, PR China) 119

The use of linear regression to predict digestible protein and available amino acid contents of feed ingredients and diets for fish
J. Sales (Vodnany, Czech Republic) 128

Physiology and Endocrinology

Study on early-stage development of conchospore in *Porphyra yezoensis* Ueda
F. Xiaolei (Beijing, Qingdao, China), W. Guangce (Qingdao, Tianjin, China), L. Demao (Beijing, Qingdao, China), X. Pu (Changshu, China) and S. Songdong (Suzhou, China) 143

Candidates for a hypoxia-stress indicator in the hard clam, *Meretrix lusoria*
A.-C. Lee, M.-C. Lee (Chiayi, Taiwan), Y.-H. Lee (Pingtung, Taiwan) and Y.-C. Lee (Chiayi, Taiwan) 150

Stress effect of two different transport systems on the physiological profiles of the crab *Cancer pagurus*
S. Lorenzon, P.G. Giulianini, S. Libralato, M. Martinis and E.A. Ferrero (Trieste, Italy) 156

The effect of salinity on the requirement for potassium by barramundi (*Lates calcarifer*) in saline groundwater
G.J. Partridge (Fremantle, Murdoch, Western Australia, Australia) and A.J. Lymbery (Murdoch, Western Australia, Australia) 164

Short Communications

Larval rearing of barramundi (*Lates calcarifer*) in saline groundwater
G.J. Partridge (Fremantle, Murdoch, Australia), A.J. Lymbery (Murdoch, Australia) and D.K. Bourke (Fremantle, Australia) 171

Acute toxicity of boron to juvenile white shrimp, *Litopenaeus vannamei*, at two salinities
E. Li, Z. Xiong, L. Chen (Shanghai, China), C. Zeng (Haikou, China) and K. Li (Shanghai, China) 175

Evaluation of the preservation of shrimp samples with Davidson's AFA fixative for infectious myonecrosis virus (IMNV) in situ hybridization
T.P.D. Andrade, R.M. Redman and D.V. Lightner (Tucson, Arizona, USA) 179

Effect of sediment grain-size on development of brown ring disease in the Manila clam *Ruditapes philippinarum*
J. Flye-Sainte-Marie, F. Jean (Brest, Plouzané, France), S.E. Ford (Port Norris, NJ, USA) and C. Paillard (Brest, Plouzané, France) 184

Characterization of probiotic properties of lactic acid bacteria isolated from intestinal microbiota of fish
J.L. Balcázar (Zaragoza, Vigo, Spain), D. Vendrell, I. de Blas, I. Ruiz-Zarzuela, J.L. Muzquiz and O. Girones (Zaragoza, Spain) 188

Growth in juvenile Atlantic cod (*Gadus morhua* L.) fed continuously or during light or dark hours
S.I. Siikavuopio, B.-S. Sæther and K. Aas (Tromsø, Norway) 192

Influence of the time to egg stripping on eyeing and hatching rates in rainbow trout *Oncorhynchus mykiss* under cold temperatures
A.M. Samarin (Karaj, Iran), M.R. Ahmadi (Tehran, Iran), T. Azuma (Nikko, Japan), G.R. Rafiee, B.M. Amiri and M.R. Naghavi (Karaj, Iran) 195

Contents of *Aquaculture*, Volume 278 199

101
110
119
128
143
150
156
164
171
175
179
184
188
192
195
199